DeftCode Emmet Cheat Sheet

by deftcode via cheatography.com/36955/cs/11997/

Syntax

>	Child - `nav>ul >li`
+	Sibling - `div+p+bq`
^	Climb up - `div+di v>p >sp an+ em^bq`
( )	Grouping - `div>(h ead er> ul> li* 2>a )+f oot er> p`
*	Multiplication - `ul>li*5`
$	Numbering - `ul> li.i tem$*5`
.	Class - `h1.title` or `p.clas s1.c la ss2.class3`
#	ID - `div.#h eader` or `form#s ear ch.wide`
[ ]	Custom attributes - `td[row span=2 colspan=3 title]`
{ }	Text - `p>{ Click }+a{he re}+{ to continue}`

HTML

!	Create HTML5 template
a	`<a href=""> </a>`
a:link	`<a href="h ttp :// " ></ a>`
a:mail	`<a href="m ail to: " ></ a>`
link	`<link rel="st yle she et" href="" />`
meta	`<meta />`
meta:utf	`<meta http-e qui v="C ont ent -Ty pe" conten t="t ext /ht ml; cha rs e t=U TF- 8" />`
style	`<st yle ></ sty le>`
script	`<sc rip t>< /sc rip t>`
script:src	`<script src=""></ sc rip t>`
img	`<img src="" alt="" />`
form	`<form action =""></ fo rm>`
form:get	`<form action ="" method ="ge t"></ fo rm>`
form:post	`<form action ="" method ="po st"> </f orm>`
label	`<label for=""></ la bel>`
inp	`<input type="t ext " name="" id=" " />`
input:-email	`<input type="e mai l" name="" id=" " />`
input:p	`<input type="p ass wor d" name="" id=" " />`

HTML (cont)

input:c	`<input type="c hec kbo x" name="" id=" " />`
input:r	`<input type="r adi o" name="" id=" " />`
input:f	`<input type="f ile " name="" id=" " />`
select	`<select name="" id=" " ></ sel ect>`
option	`<option value= " " ></ opt ion>`
textarea	`<te xtarea name="" id=" " cols="3 0" rows="1 ta rea>`
btn:s	`<button type="s ubm it"> </b utt on>`
btn	`<bu tto n>< /bu tto n>`
sect	`<se cti on> </s ect ion>`
art	`<ar tic le> </a rti cle>`
hdr	`<he ade r>< /he ade r>`
ftr	`<fo ote r>< /fo ote r>`
mn	`<ma in> </m ain>`

ol+	`<ol>`
	`  <li></li>`
	`</ol>`

ul+	`<ul>`
	`  <li></li>`
	`</ul>`

dl+	`<ol>`
	`  <dt></dt>`
	`  <dd></dd>`
	`</ol>`

table+	`<table>`
	`  <tr>`
	`  <td></td>`
	`  </tr>`
	`</table>`

tr+	`<tr>`
	`  <td></td>`
	`</tr>`

CSS

pos:(a|r|f)	`positi on: abs olu te| rel ati ve| fixe d;`
t	`top`
r	`right`
b	`bottom`
l	`left`

By **deftcode**
cheatography.com/deftcode/

Published 3rd June, 2017.
Last updated 3rd June, 2017.

Sponsored by **ApolloPad.com**
Everyone has a novel in them. Finish Yours!
https://apollopad.com

Cheatography

DeftCode Emmet Cheat Sheet

by deftcode via cheatography.com/36955/cs/11997/

CSS (cont)

z	z-index
fl:(n|r|l)	float: non e|r igh t|left;
cl:(n|-b|l|r)	clear: none|b oth |le ft| right;
d:(n|b|f|-i|ib)	display: none|b loc k|f lex |in lin e|i nli n e- block;
v:(v|h)	visibi lity: visibl e|h idden;
ov:(v|h|s)	overflow: visibl e|h idd en| scroll;
ovx:()	overfl ow-x: visibl e|h idd en| scroll;
ovy:()	overfl ow-y: visibl e|h idd en| scroll;
m	margin
m(r|t|b|l)	margin -ri ght |to p|b ott om| left;
p	padding
p(t|r|b|l)	paddin g-t op| rig ht| bot tom |left;
bxz:bb	box-si zing: border -box;
w	width
h	height
maw	max-width
mah	max-height
miw	min-width
mih	min-height
fw	font-w eight
fz	font-size
ff	font-f amily
ta:(l|-c|r|j)	text-a lign: left|c ent er| rig ht| jus tify;
td:n	text-d eco ration: none;
lh	line-h eight
bg:n	backgr ound: none

CSS (cont)

bg+	backgr ound: #fff url() 0 0 no-repeat;
c:(r|ra)	color: rgb()| rgba();
op	opacity
cnt	conten t:'';
ol:n	outline: none;
bd+	border: 1px solid #000;
bd:n	border: none;
bd(t|r|l|b)+	border -to p|r igh t|l eft |bo ttom: 1px soli
bdrs	border -radius
lis:n	list-s tyle: none;
!	!important
@f	font-face
@kf	keyframes
@m	media
anim-	animation
ai:(b|-c|fe|f-s|s|sa|-sb)	align- items: baseli ne| cen ter |fl ex- end nd| spa ce- bet ween;
fxd:(c|r)	flex-d ire ction: column |row;
jc:(c|-fe|fs|-sa|sb)	justif y-c ontent: baseli ne| fle x-e nd| fle ween;
trf:(r|sc|skx|s-ky|t)	transform: rotate |sc ale |sk ewX |sk ewY |tr
trs	transition
trfo	transf orm -origin

By **deftcode**

cheatography.com/deftcode/

Published 3rd June, 2017.

Last updated 3rd June, 2017.

Sponsored by **ApolloPad.com**

Everyone has a novel in them. Finish Yours!

https://apollopad.com