

Lesson 1

h ← j ↓ k ↑ l → cursor move either the arrow or hjk l keys

vim FILENAME <ENTER> To start Vim from shell

<ESC> :q! <ENTER> to trash all changes.
<ESC> :wq <ENTER> to save the changes.

x To delete the character at the cursor

i INSERT MODE before the cursor

A INSERT MODE after the line

Lesson 2

Lesson 3

p put the deleted text **AFTER** the cursor

r [char] replace the character under the cursor

c change from the cursor where the motion take you. Eg. c\$ ce cw

c [number] motion it is the format for changing

Lesson 4

CTRL-G show your location and the file status

G move to the end of the file
gg move to that line number
go to the first line

/foo <ENTER> search foo **FORWARD**
?foo <ENTER> of the phrase

n search foo
N **BACKWARD** of the phr

CTRL-O ase

CTRL-I find the **next** occurrence
find the **previous** occurrence
Takes you to the **PREVIOUS** position
Takes you to the **NEWER** position

Lesson 4 (cont)

% type it on (,) , [,] , { or } and goes to its match

:s/old/new substitute **first** old

:s/old/new/g for new

:#,#s/old/new/g substitute all old for new **in the line**

:%s/old/new/g substitute all matches between the lines #

substitute all matches **in the file** to **check** each time add c

Lesson 5

:!command execute an external command
mand
Eg. win: !dir or in Unix: !ls

:w FILENAME write the current VIM file to the disk with the name FILENAME

v motion :w FILENAME saves visually selected lines in the file FILENAME.

:r FILENAME retrieves disk file FILENAME and puts belong cursor position

:r !command reads the output command and puts belong the cursor Eg. win: !dir or in Unix: !ls

dw del **from**
the
cursor to
the **next**
word

d\$ del **from**
the
cursor to
the **end**
of line

dd del
whole
line

2w repeat
the
motion
with a
number

operator	[number]	motion	where:
	operator		- is what
	[number]		to do d
	motion		-
			[optional]
			repeat
			motion 2
			- move
			to the
			text to
			operate
			2w

0 move to
the **start**
of the
line

u	To undo
U	previus
Ctrl -R	action
	To undo
	all the
	actions
	on a line
	To undo
	the
	undo's



By **im_Tavo** (gamejia90)
cheatography.com/gamejia90/
www.github.com/Athesto

Published 3rd July, 2020.
Last updated 6th May, 2020.
Page 1 of 3.

Sponsored by **ApolloPad.com**
Everyone has a novel in them. Finish
Yours!
<https://apollopad.com>

Lesson 6

- o insert a line **BELOW** the cursor and start
- O INSERT MODE.
Open a line **ABOVE** the cursor

- a insert text after the
- A **cursor**
insert text after the **end of the line**

- e move to the **end of a word**

- y copy the text and p
paste it

- R Enter in REPLACE
MODE until <ES C>
is pressed

:set foo sets the option foo
Eg. :set ic

ic or ignorecase ignore upper/lower
is or insearch case when
hls or hlsearch seaching
show partial
matches for a
search phrase
highlight all
matching phrases.

:set nofoo preset no to switch
an option **off**
Eg. :set noic

Lesson 7

<HELP KEY> Vim has a compre-
<F1> hensive on-line help
:help <ENTER> system. To get started,
try one of these three

:help cmd to find help on cmd

CTRL-W CTRL-W to jump to another
window

:q to close help window

~/ .vmrc a startup script to keep
your preferred settings.

:cmd CTRL-d to see possible

:cmd <TAB> completions,
to autocomplete



By **im_Tavo** (gamejia90)
cheatography.com/gamejia90/
www.github.com/Athesto

Published 3rd July, 2020.
Last updated 6th May, 2020.
Page 2 of 3.

Sponsored by **ApolloPad.com**
Everyone has a novel in them. Finish
Yours!
<https://apollopadd.com>