

General

Preventable environmental health threat

Results in ↑ blood lead levels 5+ mcg/dL

Risk Factors

Imported candies	Paint in homes > 1978
Dust from window sills, walls, & plaster in old homes	Certain folk remedies for GI issues (arzacón)
Soil w/ past of cars that used leaded gas	Glazed pottery & stained-glass products
Old painted toys or furniture	Lead pipes supplying water
Parent clothing w/ manufacturing job	

Diagnostics

Serum Lead Levels

- ≥ 5 mcg/dL

Serum Lead Levels

- ≥ 70 mcg/dL = hospitalization

Signs & Symptoms

Cognitive impairments

Inattentiveness, hyperactivity, irritability

- Misdiagnosed as ADHD

Headaches

Hearing Problems

Language & speech problems

Stomach pain

↓ bone & muscle growth

Poor muscle coordination

Seizures

Collaborative Care & Meds

Chelation Therapy w/ deferoxamine

If lead > 70 mcg/dL + hospital

SQ infusion over several hrs

- At night if home

May d/c to PO deferasirox if going home

{nl} - PO once daily

Nursing Interventions

Perform risk assessment

- If (+) → send blood for lead levels

If lead levels > 70 mcg/dL → hospitalize & begin chelation therapy, maybe dialysis

May need early intervention program for further eval & Tx of developmental delays

Ensure lead removal of home & environment

Refer to developmental centers

Education - Chelation Therapy

Ensure adequate fluid intake

Monitor I&O closely

Dissolve PO tablet in juice or water & admin once daily



By **helpmee**
cheatography.com/helpmee/

Published 29th May, 2022.
 Last updated 29th May, 2022.
 Page 1 of 1.

Sponsored by **ApolloPad.com**
 Everyone has a novel in them. Finish Yours!
<https://apollopad.com>