

NERDT FUNCTIONS / ALIASES		PUT FUNCTIONS (API PUT / POST)	
<code>nerdt-install</code>	(re-)install NERDT bash	<code>put-removeprohibited-creativeids</code>	Removes
<code>nerdt-cleaninstall</code>	clean NERDT install /w backup up .bash_profile	<code>put-removeattribute-attributeid-creativeid</code>	Removes
<code>nu / nerdt-update</code>	update NERDT bash	<code>put-apiloginenable-userids</code>	Enables a
<code>nl / nerdt-listfunction</code>	list current NERDT functions		users
<code>ns / nerdt-searchfunction</code>	search current NERDT functions	<code>put-deletecreative-memberid-creativeids</code>	Removes
<code>nsta / nerdt-switchtoadvancedmode</code>	enable extended function set	<code>put-sslreschedule-creativeids</code>	Reschedu
<code>nstd / nerdt-switchtodefultmode</code>	switch to default function set	API FUNCTIONS / ALIASES	
<code>nste / nerdt-switchto-editor</code>	change default NERDT editor	<code>a -i / auth -i</code>	select API environment
PostgreSQL FUNCTIONS / ALIASES		<code>a dp / auth dw-prod</code>	auth into PROD Console API
<code>pgf / tupac / fraud_en</code>	access PostgreSQL fraud_engineering	<code>a ap / auth api-prod</code>	auth into PROD Impbus API
<code>g</code>		<code>a dct</code>	auth into Client-Testing Console API
<code>pgs</code>	access PostgreSQL deal_health_check	<code>st / switchto</code>	auth into API with user ID
SHORT STANDARD ALIASES		<code>cg / cget / curlget</code>	make API GET call
<code>userlookup</code>	search for user with name/email/id	<code>cput / curlput</code>	make API PUT call
<code>member</code>	search for member with name/id	<code>cpost / curlpost</code>	make API POST call
<code>trans</code>	get change log on API service and object ID	MySQL FUNCTIONS / ALIASES	
<code>cache</code>	get impbus / bidder cache for object ID	<code>mpa / mpb / mpc</code>	access MySQL production api/bidder/com
<code>deal_health_check</code>	check deal health last 2 days	<code>mpaq / mpcq / mpbq</code>	query MySQL production api/bidder/comrr
<code>mysql_vertica_join</code>	run python script mysql_vertica_join.py	<code>mpad / mpcd / mpbd</code>	describe table MySQL production api/bidd
VERTICA FUNCTIONS / ALIASES		<code>mcta / mctb / mctc</code>	access MySQL client-testing api/bidder/co
<code>v / vertica / rvert</code>	access Vertica reporting host	<code>msa / msb / msc</code>	access MySQL sand api/bidder/common
<code>vb / bvert</code>	access Vertica budget reporting host	<code>col / mcol / schema</code>	search MySQL table columns
<code>vq / vbq</code>	query Vertica reporting/buget host	<code>tab / tabcol</code>	search MySQL schema for tables by name
<code>vd / vbd</code>	describe table Vertica reporting/buget host	<code>mpr</code>	access MySQL reporting
<code>vs / vertsh erlock</code>	access Vertica sherlock reporting host		
<code>vcol / vschema</code>	search Vertica table columns		



OPEN/EDIT/SOURCE NERDT FILES

bp / bashpr ofile	open bash_profile
bpu / bpf / bpfe	open bash_universal / bash_functions / bash_functions_ext
sbp / sbpu / sbpf / sbpfe	source bash_profile / bash_universal / bash_functions / bash_functions_ext
hf / shf	open / source hostfile
pf	open passwords file
bif	open install.sh
cdb / cdbash	change to NERDT bash_files directory
cds / cdscrip	change to NERDT bash_scripts directory
cdg / cdgit	change to NERDT git directory
gs / ga / gp / gl	git status / add / pull & push / list

UNIX FUNCTIONS / ALIASES

ls / ls -ll	list files in current dir
lh / ls -d .*	list hidden files in dir
h / history	print bash history
x / exit	logout from bash



By [iherdt](#)
cheatography.com/iherdt/

Published 9th October, 2015.
 Last updated 13th May, 2016.
 Page 2 of 2.

Sponsored by [Readable.com](#)
 Measure your website readability!
<https://readable.com>