

cmppDB		
方法	参数	类型
keyExist	(String)	boolean
remove	(String)	boolean
get	(String)	Object
put	(String, Object)	boolean
getBytes	(String)	byte[]
getString	(String)	string
<i>bytes, class, cmppDBService, equals, getClass, hashCode, ikvDBCClient, init, notify, notifyAll, prefix, setCmppDBService, setIkvDBCClient, setPrefix, string, toString, wait</i>		

db		
方法	参数	类型
executeInsertReturnID	()	
executeInsertReturnID	()	
executeFirstSelectSQL	()	
executeFirstSelectSQL	()	
executeSelectSQL	()	
executeSelectSQL	()	
executeUpdateSQL	()	
executeUpdateSQL	()	
executeUpdateSQL	()	
executeSelectSQLWithAuth	()	
executeSelectSQLWithAuth	()	
executeUpdateSQLWithAuth	(String, String, String, String, String[])	boolean
executeUpdateSQLWithAuth	(String, String, String, String[])	boolean
executeUpdateSQLWithAuth	(String, String, String, String)	boolean
executeInsertSQLWithAuth	()	
getResultJson	()	

coder		
方法	参数	类型
urlEncode	(String, String)	String
sha1	(String)	String
base64Decode	(String, String)	String
base64Decode	(String)	byte[]
crc32Encode	(String)	Long
hmac_sha1	(String, String)	String
md5Encode	(String)	String
urlDecode	(String, String)	String
base64Encode	(String)	String
escape	(String)	String
unescape	(String)	String
<i>getClass, equals, class, hashCode, init, wait, notify, toString, notifyAll</i>		

