

Command Line

Start a new session `tmux [new session name]`

List sessions `tmux ls`

Attach to existing session `tmux a -t [name or number from ls]`

Kill server and all sessions `tmux kill-server`

Kill named session `tmux kill-session -t [session name]`

If starting a new session fails with something like `no server running on /tmp/tmux -10 01/` default, use:

`tmux new-session -s [new session name]`

Moving around

Enter copy mode (Also scroll) `[ (q to quit)`

Quit copy mode `q`

Paste `]`

Sessions

Detatch `d`

New session `:new`

List sessions `s`

Name session `$`

Panes

Split horizontally `"`

Split vertically `%`

Next pane `o`

Previous pane `;`

Kill this pane `x`

Kill all panes but this one `!`

Swap panes `Ctrl-O`

Resize pane `Alt-<arrow key to resize in that direction>`

Windows

New window `c`

Rename window `,`

Next window `n`

Previous window `p`

Last window `l (small L)`

List windows `w`

Find window `f <name>`

Kill window `&`

Move window `.`

Command Line

Start a new session `tmux [new -s <name>]`

List sessions `tmux ls`

Attach to existing session `tmux a -t <name or number from ls>`

Kill server and all sessions `tmux kill-server`

Kill named session `tmux kill-session -t <name>`



By **tanglisha**

cheatography.com/tanglisha/

Published 25th January, 2016.

Last updated 19th May, 2019.

Page 1 of 1.

Sponsored by **Readable.com**

Measure your website readability!

<https://readable.com>